

**ACID REDUCER - omeprazole tablet, delayed release**  
**CVS Pharmacy, Inc.**

-----

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

***Drug Facts***

***Active ingredient (in each tablet)***

Omeprazole delayed-release tablet 20 mg (equivalent to 20.6 mg omeprazole magnesium USP)

***Purpose***

Acid reducer

***Use***

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

***Warnings***

**Allergy alert:**

Do not use if you are allergic to omeprazole

**Do not use if you have:**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have:**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss

- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug.

Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if:**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

***Other information***

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77° F) and protect from moisture

***Inactive ingredients***

crospovidone, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate,

methacrylic acid and ethyl acrylate copolymer dispersion, microcrystalline cellulose, polyethylene glycol, polysorbate 80, red iron oxide, silicified microcrystalline cellulose, sodium hydroxide, sodium stearyl fumarate, sugar spheres [which contains liquid glucose, starch (maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

**Questions?**

Call 1-855-274-4122

**Distributed by:**

**CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/Pharmacy

Made in India

Code: TS/DRUGS/22/2009

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Tablet Bottle)**

**CVSHealth                      NDC 69842-941-05**

**Omeprazole**

**DELAYED RELEASE TABLETS 20 mg**

**Acid Reducer**

**Treats Frequent Heartburn!**

**14 TABLETS**


One 14-day course of treatment

May take 1 to 4 days for full effect

# Top Ply




## Top Ply (Page #1)



## Back of Top Ply (Page #2)

# Bottom Ply

## Base (Page #3)



## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg Container Carton Label

CVS  
Health

Compare to the active ingredient  
in Prilsec OTC®\*

NDC 69842-941-05

HR  
**Omeprazole**  
**DELAYED RELEASE TABLETS 20 mg**  
**Acid Reducer**  
**Treats Frequent Heartburn!**  
**Actual Size**  
**14 TABLETS**  
 One 14-day course of treatment  
 May take 1 to 4 days for full effect



## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg Blister Carton Label

**CVSHealth**

Compare to the active ingredient  
 in Prilosec OTC®\*  
 NDC 69842-941-01

**Omeprazole**  
**DELAYED RELEASE TABLETS 20 mg**  
**Acid Reducer**  
**24**  
**HR**  
**Treats Frequent Heartburn!**

**Actual Size**

**14 TABLETS**

One 14-day course of treatment

May take 1 to 4 days for full effect

## No Varnish Area

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

This product is not manufactured or distributed by  
 a registered trademark owner at CVS Pharmacy, Inc.  
 CVS Pharmacy, Inc.  
 One CVS Drive, Worcester, MA 01609  
 © 2021 CVS Pharmacy  
 CVS.com 1-800-SHOP CVS  
 Made in the USA  
 Quality  
 Many More Questions  
 7-38009  
 Code TS/RUGS/22/2009

**Questions? Call 1-855-274-4122**

[illegible]

**Other information** ■ read the directions and warnings before use ■ keep the can. It contains important information. ■ store at 20° to 25°C (68° to 77°F) and protect from moisture

**Drug Facts (continued)**

**14-Day course of treatment**

- swallow 1 tablet with water before eating in the morning
- take every 12 hours for 14 days
- do not take more than 1 tablet a day
- do not eat or drink unless directed by your doctor
- swallow whole. Do not chew or crush tablets

**Repeated 14-day courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for 18 days or more than every 4 months
- do not take for 18 days or more than every 4 months

many sometimes because by a serious condition

**Directions**  
 ■ for adults 18 years of age and older ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

for more than 14 days ■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea ■ you develop a rash or joint pain

ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

---

Stop use and ask a doc for it

■ Your heartburn continues or worsens ■ You need to take this product

this may be a sign of a more serious condition. ■ frequent vomiting, particularly with headache ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

light-headedness ■ frequent chest pain. These may be signs of a serious condition. See your doctor.

DO NOT USE if you have: ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools ■ heartburn with lightheadedness, sweating or dizziness ■ chest pain or shoulder pain with shortness of breath, sweating, pains spreading to arms, neck or shoulders, or

**Warnings**  
Allergy alert: Do not use if you are allergic to omeprazole

**Use** ■ treat streptococcal heartburn (occurs 2 or more days a week)  
■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Active ingredient (in each tablet)**  
Ompرازide delayed-release tablet 20 mg  
(equivalent to 205 mg ompرازide magnesium USP).....Acid reducer

## Drug Facts

# Omeprazole

**DELAYED RELEASE TABLETS 20 mg**

**SAFETY FEATURE** - Do not use if tablet blister unit is open or torn.

**NOT FOR RESALE**



Compare to the active ingredient  
in Prilosec OTC<sup>®</sup>  
NDC 69842-941-01

# Omeprazole

**DELAYED RELEASE TABLETS 20 mg**

## Acid Reducer

## Treats Frequent Heartburn!



Actual Size

14 TABLETS

One 14-day course of treatment  
May take 1 to 4 days for full effect



## ACID REDUCER

omeprazole tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-941
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII:KG60484QX9)		OMEPRAZOLE	20 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSPVIDONE (35 .MU.M) (UNII: 40UAA97IT9)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROXYPROPYL CELLULOSE (90000 WAMW) (UNII: UKE75GEA7F)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 4000 (UNII: 4R4HF16D95)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYDROXYPROPYL CELLULOSE (45000 WAMW) (UNII: 8VAB711C5E)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	

Product Characteristics			
Color	PINK	Score	no score
Shape	RECTANGLE (Oblong)	Size	14mm
Flavor		Imprint Code	Z;69
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-941-05	1 in 1 CARTON	09/23/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		



2	NDC:69842-941-61	2 in 1 CARTON	09/23/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842-941-62	3 in 1 CARTON	09/23/2020	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:69842-941-01	1 in 1 CARTON	09/23/2020	
4		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:69842-941-03	3 in 1 CARTON	09/23/2020	
5		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206877	09/23/2020	

**Labeler** - CVS Pharmacy, Inc. (062312574)

**Registrant** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(69842-941) , MANUFACTURE(69842-941)

Revised: 10/2020

CVS Pharmacy, Inc.